

Gama PLEXIGLAS[®]



Placi acrilice/PMMA PLEXIGLAS[®], Evonik, transparente, opale si colorate, disponibile in locatiile Geplast din tara in diferite formate si grosimi de placi.

- grad sporit de transparenta (92% pentru placile incolore);
- calitate excelenta a difuziei uniforme a luminii;
- consistenta culorii (ex. PLEXIGLAS[®] XT Opal);
- durabilitatea materialelor.



Protectie impotriva ingalbenirii si a pierderii proprietatii de transmisie a luminii. Placile sunt protejate impotriva razelor UV cu ajutorul tehnologiei "Naturally UV-Stable Technology"

PLEXIGLAS [®] XT Transparent			
Cod	Translucenta	Grosime (mm)	Dimensiune placa (mm)
0A000	92%	1.5	3050 x 2050
		2	
		3	
		4	
		5	
		6	
		8	
		10	
		3	4050 x 2050

*Disponibil pana la grosimi de 25mm. Detalii suplimentare la Rezentantii Geplast.

PLEXIGLAS[®] XT Opal				
Cod	Translucenta	Grosime (mm)	Dimensiune placa (mm)	
WN070	30%	2	3050 x 2050	
		3		
		4		
		5		
		3	4050 x 2050	
WN770	45 %	3	3050 x 2050	
		4		
		5		

* Alte grosimi disponibile la cerere.

PLEXIGLAS[®] XT Color				
Culoare	Cod	Translucenta	Grosime (mm)	Dimensiune placa (mm)
Galben	1N870	21%	3	3050 x 2050
Galben	1N270	16%	3	3050 x 2050
Crem	1N370	27%	3	3050 x 2050
Orange	2N170	5%	3	3050 x 2050
Rosu	3N570	2%	3	3050 x 2050
Rosu	3N670	2%	3	3050 x 2050
Albastru	5N870	5%	3	3050 x 2050
Albastru	5N370	6%	3	3050 x 2050
Verde	6N570	18%	3	3050 x 2050
Gri	7A670	71%	3	3050 x 2050
Negru	9N870	0%	2	3050 x 2050
			3	3050 x 2050
			5	3050 x 2050

*Detalii suplimentare la Rezentantii Geplast.

PLEXIGLAS® XT Hard Coated			
Cod	Translucenta	Grosime (mm)	Dimensiune placa (mm)
0A570 HC	92%	2	3050 x 2050
	92%	3	3050 x 2050
0A000 HC	92%	4	3050 x 2050
	92%	8	3050 x 2050

*Detalii suplimentare la Rezentantii Geplast.

PLEXIGLAS® XT Satinice														
Culoare	Cod	Transmisia luminii*			Grosime (mm)									
					3	4	5	6	8	10	12	15	20	25
					Dimensiune placa 3050 x 2050 mm 25 mm grosime: 3000 x 2000 mm									
Transparent	0F00 SC	TP	92%	a	DA	DA	DA	DA	DA	DA	✓	✓	✓	✓
Alb	WH02 SC	TL	42%	b	DA	✓	DA	✓	✓	✓	✓	✓	✓	✓
Verde	6C03 SC	TP	90%	a	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Negru	9H01 SC	OP	0%	b	DA	✓	✓	✓	✓	✓	✓	✓	✓	✓
Alte culori						✓	✓	✓	✓	✓	✓	✓	✓	✓

TP = Transparent | TL = Translucent | OP = Opal
grosimile

✓ = disponibil la cerere. Solicita oferta de pret Rezentantilor Geplast.
10mm

a = transmisie constanta pentru toate

b = transmisie constanta pentru grosimile 3-

c = transmisie functie de grosime

PLEXIGLAS® XT LED															
Culoare	Cod	Transmisia luminii*			Suprafata iluminata mm	Grosime (mm)									
						3	4	5	6	8	10	12	15	20	
						Dimensiune placa 3050 x 2050 mm									
Transparent	0E011 L	TL	91%	c	300 - 600	✓	✓	✓	DA	DA	✓	✓	✓	✓	
	0E012 XL	TL	91%	c	600 - 1200	✓	✓	✓	✓	DA	DA	✓	✓	✓	
	0E013 XXL	TL	91%	c	1200 - 2000	✓	✓	✓	✓	✓	DA	✓	✓	✓	

TL = Translucent

✓ = disponibil la cerere. Solicita oferta de pret Rezentantilor Geplast.

c = transmisie functie de grosime

Pentru informatii suplimentare privind produsele si disponibilitatea acestora, luati legatura cu [Rezentantii Geplast](mailto:sales@geplast.ro) din zona dvs. sau scrieti-ne la sales@geplast.ro.