


PMMA PLEXIGLAS®

PMMA PLEXIGLAS® Evonik disponibil sub forma de placi si blocuri, extrudate (XT) si turnate (GS), transparente, opale si colorate. Aceste materiale marca PLEXIGLAS® Evonik se disting fata de alte materiale acrilice prin rezistenta sporita la zgariere, uzura si la alti factori externi, au un comportament excelent la termoformare si sunt usor de prelucrat (lipire cu adezivi, taiere, frezare etc.).

Marca PLEXIGLAS® garanteaza calitatea superioara a acestor materiale ce se remarca si prin emanatii reduse de fum la ardere, gazele emanate nefiind corozive sau toxice.

Proprietati material

- claritate excelenta (transmisia luminii pana la 92%)
- difuzie uniforma a luminii
- consistenta culorii (ex. PLEXIGLAS® XT Opal)
- durabilitate
- protectie UV – tehnologie „Naturally UV-Stable Technology”
- peste 20 de culori standard disponibile



Diferite game PLEXIGLAS® pentru aplicatii specifice sunt disponibile: XT Transparent, Opal si Color, XT Hard Coated, XT Satinice, XT LED, XT Textures, XT Optical etc.

Placi PMMA extrudate – PLEXIGLAS® XT

CULOARE	COD CULOARE	TRANSLUCENTA	FORMAT PLACI mm	GROSIME PLACI mm
Transparent	0A000	92%	3050x2050 mm	2-10 mm
Alb	WN670	78%	3050x2050 mm	3 mm
Alb	WN770	45%	3050x2050 mm	3, 4 mm
Alb	WN070	30%	3050x2050 mm	2-5 mm

* Alte formate, grosimi, culori si game disponibile la comanda.

Pentru informatii suplimentare privind produsele si disponibilitatea acestora, luati legatura cu [Reprezentantii Geplast](mailto:sales@geplast.ro) din zona dvs. sau scrieti-ne la sales@geplast.ro.

Placi PMMA turnate – PLEXIGLAS[®] GS

CULOARE	COD CULOARE	TRANSLUCENTA	FORMAT PLACI mm	GROSIME PLACI mm
Alb	WM03	0%	3050x2030 mm	3 mm
Opac	WH02	44%	3050x2030 mm	10 mm
Alb	WH02	-	3050x2030 mm	20 mm
BLOC LED Alb	WM51	-	3000x2000 mm	30 mm

* Alte formate, grosimi, culori si game disponibile la comanda.

Placi PMMA extrudate – PLEXIGLAS[®] XT Color

CULOARE	COD CULOARE	TRANSLUCENTA	FORMAT PLACI mm	GROSIME PLACI mm
Galben	1N870	21%	3	3050 x 2050
Galben	1N270	16%	3	3050 x 2050
Crem	1N370	27%	3	3050 x 2050
Orange	2N170	5%	3	3050 x 2050
Rosu	3N570	2%	3	3050 x 2050
Rosu	3N670	2%	3	3050 x 2050
Albastru	5N870	5%	3	3050 x 2050
Albastru	5N370	6%	3	3050 x 2050
Negru	9N870	0%	2	3050 x 2050
			3	3050 x 2050
			5	3050 x 2050

* Detalii suplimentare la Rezentantii Geplast.

Pentru informatii suplimentare privind produsele si disponibilitatea acestora, luati legatura cu [Rezentantii Geplast](mailto:sales@geplast.ro) din zona dvs. sau scrieti-ne la sales@geplast.ro.

Placi PMMA extrudate – PLEXIGLAS® XT Hard Coated

CULOARE	TRANSLUCENTA	FORMAT PLACI mm	GROSIME PLACI mm
0A570 HC	92%	3050 x 2050	2
	92%	3050 x 2050	3
0A000 HC	92%	3050 x 2050	4
	92%	3050 x 2050	8

* Detalii suplimentare la Rezentantii Geplast.

Placi PMMA extrudate satinat – PLEXIGLAS® XT Satinice

CULOARE	COD	TRANSMISIA LUMINII*			Grosime placi (mm)									
					3	4	5	6	8	10	12	15	20	25
					Dimensiune placa 3050 x 2050 mm 25 mm grosime: 3000 x 2000 mm									
Transparent	0F00 SC	TP	92%	a	DA	DA	DA	DA	DA	DA	✓	✓	✓	✓
Alb	WH02 SC	TL	42%	b	DA	✓	DA	✓	✓	✓	✓	✓	✓	✓
Verde	6C03 SC	TP	90%	a	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Negru	9H01 SC	OP	0%	b	DA	✓	✓	✓	✓	✓	✓	✓	✓	✓
Alte culori						✓	✓	✓	✓	✓	✓	✓	✓	✓

TP = Transparent | TL = Translucent | OP = Opal

✓ = disponibil la cerere. Solicita oferta de pret Rezentantilor Geplast.

a = transmisie constanta pentru toate grosimile

b = transmisie constanta pentru grosimile 3-10mm

c = transmisie functie de grosime

Placi PMMA extrudate LED – PLEXIGLAS[®] XT LED

CULOARE	COD	TRANSMISIA LUMINII*			SUPRAFATA ILUMINATA	Grosime placi (mm)								
						3	4	5	6	8	10	12	15	20
						Dimensiune placa 3050 x 2050 mm								
Transparent	0E011 L	TL	91%	c	300 - 600	✓	✓	✓	DA	DA	✓	✓	✓	✓
	0E012 XL	TL	91%	c	600 – 1200	✓	✓	✓	✓	DA	DA	✓	✓	✓
	0E013 XXL	TL	91%	c	1200 - 2000	✓	✓	✓	✓	✓	DA	✓	✓	✓

TL = Translucent

c = transmisie functie de grosime